



Quality Tools Since 1869



What Makes Vaughan Special

- Founded in 1869
- Family owned and operated for 5 generations
- Dedicated to American manufacturing
- Vaughan Tools are synonymous with quality & craftsmanship
- Complete Line of Striking Tools





The VW Series

- Set up or tear down fast & easy
- Double 'D' nail holder for 1-hand nailing
- Rip out nails without ripping out your forms
- Side nail puller provides extra leverage
- American Hickory Handes
- Made in USA



Item #	Model #	Head Weight	Handle Type	Face	Claw Type	Handle Length
07280	VW18	18 OZ	Hickory - Straight	Milled	Rip	17 in
07282	VW18P	18 OZ	Hickory - Straight	Smooth	Rip	17 in
07380	VW20	20 OZ	Hickory - Straight	Milled	Rip	17 in
07382	VW20P	20 OZ	Hickory - Straight	Smooth	Rip	17 in



The V Series-A Revolution in Hammers

- Wood framing to concrete forms
- Set up or tear down fast & easy
- Double 'D' nail holder for 1-hand nailing
- Rip out nails without ripping out your forms
- Side nail puller provides extra leverage



Item #	Model #	Head Weight	Handle Type	Face	Claw Type	Handle Length
13030	V5	19 OZ	All Steel	Milled	Rip	15 in



California Framer[®] - A Rugged Tool The Pros Want

- Extra large striking face
- Milled face grips nail heads to reduce slippage
- Smooth swept claws borrowed from the Vaughan "999" rip hammer
- Extra-long hatchet style hickory handle, shaped for strength & comfort



WOOD HANDLE CALIFORNIA FRAMERS

ltem #	Model #	Head Weight	Handle Type	Face	Claw Type	Handle Length
11600	CF2	19 OZ	Straight	Milled	Rip	16 in
11604	CF2HC	19 OZ	Curved	Milled	Rip	17 in
11605	CF2L	19 OZ	Straight	Milled	Rip	17 in
10300	CF1	23 OZ	Straight	Milled	Rip	17 in
10304	CF1HC	23 OZ	Curved	Milled	Rip	17 in



California Framer[®] - A Rugged Tool The Pros Want

- Extra large striking face
- Milled face grips nail heads to reduce slippage
- Smooth swept claws borrowed from the Vaughan "999" rip hammer
- Extra-long hatchet style handles.
- Fiberglass style have a hollow core in grip section that absorbs shock
- All Steel have a hickory and rubber Shock-Blok[™] plug in eye that takes the sting out of hammer blows.

FIBERGLASS & ALL STEEL CALIFORNIA FRAMERS



ltem #	Model #	Head Weight	Handle Type	Face	Claw Type	Handle Length
11650	CF21FG	21 OZ	Fiberglass	Milled	Rip	16 in
12100	RCF2	19 OZ	All Steel	Milled	Rip	16 in



999 SERIES PROFESSIONAL HICKORY RIP HAMMERS

- Available in smooth or milled face milled face help prevent glancing blows and flying nails
- Smooth swept claws
- Special deep throat design for power strikes in difficult areas
- Top grade American Hickory Handles




ltem #	Model #	Head Weight	Face	Claw Type	Handle Length
10500	999	20 OZ	Smooth	Rip	14 in
10510	999L	20 OZ	Smooth	Rip	16 in
10530	999ML	20 OZ	Milled	Rip	16 in
12320	505M	24 OZ	Milled	Rip	17 in
10602	606S	28 OZ	Smooth	Rip	15 in
10620	606M	28 OZ	Milled	Rip	18 in
10701	707	32 OZ	Smooth	Rip	18 in
10720	707M	32 OZ	Milled	Rip	18 in



999 SERIES PROFESSIONAL FIBERGLASS & TUBULAR RIP HAMMERS

- Available in smooth or milled face milled face help prevent glancing blows and flying nails
- Smooth swept claws
- Special deep throat design for power strikes in difficult areas
- Fiberglass style have a hollow core in grip section that absorbs shock
- Tubular handles have a hickory plug in eye that absorbs shock and adds strength to overstrike area



Sie US



Steel Eagle® - The ONLY All Steel Hammer with Shock-Blok

- Exclusive hickory & rubber Shock-Blok[®] plug takes the hand sting out of hammer blows
- Head and handle are forged of American-made, high carbon steel
- Exclusive slip resistant air cushion grip
- Superior balance to reduce fatigue
- High strength I-beam design in grip section



ltem #	Model #	Head Weight	Face	Claw Type	Handle Length
10910	R16	16 OZ	Smooth	Curved	12.75 in
12715	R20	20 OZ	Smooth	Curved	13.75 in
10815	R24	24 OZ	Smooth	Curved	14 in
12510	R99	16 OZ	Smooth	Rip	12.75 in
11200	R999	20 OZ	Smooth	Rip	14 in
11220	R999ML	20 OZ	Milled	Rip	16 in
10120	R404ML	22 OZ	Milled	Rip	16 in
11000	R606M	28 OZ	Milled	Rip	16 in



PROFESSIONAL HICKORY HANDLE NAIL/TRIM HAMMERS

- Smooth, non marring faces
- Drop forged and heat treated
- Triple wedged for handle tightness
- Top Grade American Hickory Handles



ltem #	Model #	Head Weight	Handle Style	Nail Start	Claw Type	Handle Length
12201	#9	10 OZ	Oval	No	Rip	11 in
12400	99	16 OZ	Oval	No	Rip	13 in
11403	DO16	16 OZ	Octagon	No	Curve	13 in
11503	DO20	20 OZ	Octagon	No	Curve	14 in



PROFESSIONAL FIBERGLASS & TUBULAR HANDLE NAIL/TRIM HAMMERS

- Smooth, non marring faces
- Drop forged and heat treated
- Fiberglass style have a hollow core in grip section that absorbs shock
- Tubular handles have a hickory plug in eye that absorbs shock and adds strength to overstrike area



ltem #	Model #	Head Weight	Handle Type	Face	Claw Type	Handle Length
11410	FS16	16 OZ	Fiberglass	Smooth	Curved	13 in
12410	FS99	16 OZ	Fiberglass	Smooth	Rip	13 in
11505	FS20	20 OZ	Fiberglass	Smooth	Curved	14 in
11400	TO16	16 OZ	Tubular	Smooth	Curved	13 in



Professional Electrician's Hammer

- Extra long poll for striking inside electrical junction boxes
- Hollow core fiberglass handle provides balance and strength, absorbs shock
- Slip resistant grip



Item #	Model #	Head Weight	Face	Handle Type	Handle Length
13820	E18F	18 OZ	Smooth	Fiberglass	14 in



Hickory Ball Pein Hammers

- Polished face, bevel and pein
- Concentrically ground and machine turned
- Generous bevel
- Black, rust resistant finish
- Top quality American hickory handles



Item #	Model #	Head Weight	Handle Length
15130	TC504	4 OZ	10.25 in
15330	TC308	8 OZ	11.75 in
15430	TC2012	12 OZ	12 in
15530	TC016	16 OZ	13.75 in
15630	TC120	20 OZ	15 in
15730	TC224	24 OZ	15.25 in
15830	TC432	32 OZ	15.75 in
15930	TC640	40 OZ	16 in
16030	TC848	48 OZ	16 in



Fiberglass Ball Pein Hammers

- Polished face, bevel, sides and pein
- Concentrically ground and machine turned
- Generous bevel
- Blue, rust resistant finish
- Fiberglass handles have hollow core in grip section that absorbs shock, provides balance

Item #	Model #	Head Weight	Handle Length
16210	FS2012	12 OZ	13 in
16310	FS016	16 OZ	13 in
16410	FS224	24 OZ	14.5 in
16510	FS432	32 OZ	14.75 in



Tack Hammer

- Polished face and bevels
- Magnetic face holds and sets tacks
- Has opposite striking face
- Made in China to Vaughan specifications



ltem #	Model #	Head Weight	Handle Length
18034	SBP5	5 OZ	11 in



Bricklayer Hammers & Sets

- Square, flat faces with beveled edges
- All Steel handle has hickory and rubber Shock-Blok™ plug in eye that takes the sting out of blows
- Fiberglass handles have hollow core in grip section that absorbs shock, provides balance
- Select models have long lasting carbide chisel end
- Two sizes of bricklayer sets



Item #	Model #	Head Weight	Handle Style	Carbide Tip	Handle Length	Cut
17710	BL16	16 OZ	Hickory	No	11 in	NA
17810	BL24	24 OZ	Hickory	No	11.5 in	NA
17714	BL16TC	16 OZ	Hickory	Yes	11 in	NA
17816	BL24TC	24 OZ	Hickory	Yes	11.5 in	NA
18412	ABL18	18 OZ	All Steel	No	11 in	NA



All Steel Prospector's Picks

- Forged steel head and I-beam handle
- Flat striking face and pointed pick
- Air cushioned grip



Item #	Model #	Finish	Head Wgt	Length
17901	AP22	Polished	22 OZ	13 in
17903	AP22U	Unpolished	22 OZ	13 in



Welder's Hammers

- One end has sharp blade for removing flash
- Tapered, sharp point for chipping
- Available with American hickory, steel coil or all steel handles



ltem #	Model #	Head Weight	Blade	Handle Type	Handle Length
18510	WC12	12 OZ	Horizontal	Hickory	11.25 in
19815	WCCS	15 OZ	Vertical	Steel Coil	10 in
17930	RWC14	14 OZ	Vertical	All Steel	11 in



Tinner's Riveting Hammers

- Tinner's riveting hammers have polished, octagon head with flat striking face
- Rounded cross pein
- Top quality American hickory handle or hollow core fiberglass handle that absorbs shock



Item #	Model #	Head Weight	Handle Type	Handle Length
16810	TR12	12 OZ	Hickory	12.5 in
16815	TR16F	16 OZ	Fiberglass	12.5 in



Hand drilling hammers

- For striking star drills, cold chisels, brick chisels and punches.
- Broad, polished striking faces with general bevels
- Rust resistant finish on smooth sides
- All Steel handle has hickory and rubber Shock-Blok[™] plug in eye that takes the sting out of blows



ltem #	Model #	Head Weight	Handle Type	Handle Length
19110	HD3	3 LB	Hickory	10.25 in
19010	RHD3	3 LB	All Steel	11 in
19632	RHD4L	4 LB	All Steel	15 in



Blacksmith hammers

- Extra large striking face for surer strikes
- Generous bevels
- Wood handles are American hickory



ltem #	Model #	Head Weight	Handle Type	Handle Length
17030	S32	2 LB	Hickory	14.5 in
17130	S40	2.5 LB	Hickory	15.5 in
17230	S48	3 LB	Hickory	16 in



- Extra large striking face for surer strikes
- Generous bevels
- Fiberglass handles are fitted with high-impact rubber overstrike shields in the critical neck area; hollow core handle and slip resistant PVC grip absorbs shock
- Wood handles are American hickory

ltem #	Model #	Head Weight	Handle Type	Handle Length
17330	SDF40	2.5 LB	Hickory	15.5
17430	SDF48	3 LB	Hickory	16 in
18120	SDF48F	3 LB	Fiberglass	15.25 in
57120	SDF64F	4 LB	Fiberglass	15.5 in

R



Double Face Sledges

- Polished faces with generous bevels
- Rust resistant black finish
- High quality American hickory handles



Item #	Model #	Head Weight	Handle Length
57104	SS4	4 LB	16 in
57106	SS6	6 LB	36 in
57108	SS8	8 LB	36 in
57110	SS10	10 LB	36 in
57112	SS12	12 LB	36 in



Linesman's (Farrier's turning) hammers

- Polished faces and bevels
- Drop forged from high carbon steel
- Fiberglass handles have hollow core in grip section that absorbs shock, provides balance
- Wood handles are American hickory



ltem #	Model #	Head Weight	Handle Type	Handle Length
17512	L36F	2.25 LB	Fiberglass	15 in
10714	LSC32	2 LB	Hickory	15.25 in



Soft Face/Rubber Mallet

- Forged steel heads lends force to blows
- Replaceable Faces:
- Soft (red) & hard (yellow)
- White and Black Rubber
- Top quality American hickory handles



Item #	Model #	Head Weight	Replacement Faces	Handle Length
19310	SF6	6 OZ	51101(YELLOW) 51201 (RED)	10.5 in
19410	SF12	12 OZ	51301 (YELLOW) 51401 (RED)	12.5 in
19510	RM24	24 OZ	51501 (BLACK) 51502 (WHITE)	14 in
19515	RM24W	24 OZ	51502 (WHITE – 2)	14 in



SOLID HEAD RUBBER MALLETS

- Quality rubber for high impact strength and long life
- Head securely mounted on hardwood handle
- New 12 & 18 oz non-marring "no bounce"



Item #	Model #	Head Weight	Head	Handle Length
57431	RM2B	1.25 LB	Black	10.5 in
57432	RM2W	1.5 LB	Grey	10.5 in
57440	RM12DB	12 OZ	Grey	10.5 in
57442	RM18DB	18 OZ	Grey	12 in



NYLON FACE HAMMERS

- One-piece threaded faces
- Shoulder absorbs force of side blows
- Chrome plated, zinc alloy heads are serrated to help keep faces tight.
- Top quality hardwood handle
- Made in England to Vaughan specifications
- Supplied with two white nylon faces



ltem #	Model #	Face Dia	Weight	Handle Length
58408	NT100	1 in	.5 LB	10 in
58410	NT125	1.25 in	.75 LB	11 in
58412	NT150	1.5 in	1.25 LB	11.25 in
58414	NT175	1.75 in	1.5 LB	12 in
58416	NT200	2 in	2.5 LB	13 in
58418	NT250*	2.5 in	4.5 LB	14 in

*Black painted malleable iron head



Dead Blow Hammers

- Heads are partially filled with steel shot to increase impact and reduce rebound
- One-piece threaded face
- Shoulder absorbs force of side blows
- Aluminum alloy heads are serrated to keep faces tight.
- Neoprene compound grip absorbs shock
- Supplied with two white nylon faces
- Made in England to Vaughan specifications



ltem #	Model #	Face Dia	Weight	Handle Length
58510	DB125	1.25 in	1 LB	10.5 in
58512	DB150	1.5 in	1.5 LB	11.75 in
58514	DB175	1.75 in	2 LB	12 in
58516	DB200	2 in	3 LB	12.5 in
58520	DB250	2.5 in	4.25 LB	14.25 in



Replacement faces for Nylon and Dead Blow Hammers

Face Dia	Soft Grey Plastic	Medium Red Plastic	Hard White Nylon	Extra Hard Yellow Plastic	Tough Brown Polyurethane
1 in	58906	58904	58900	58908	58902
1.25 in	58926	58924	58920	58928	58922
1.5 in	58946	58944	58940	58948	58942
1.75 in	58966	58964	58960	58968	58962
2 in	58986	58984	58980	58988	58982
2.5 in	NA	NA	58990	NA	58992



Replacement faces for Split Head and Mallets

Face Dia	Rawhide	Copper	Nylon
1 in	59000	59002	NA
1.25 in	59020	59022	59024
1.5 in	59040	59042	59044
1.75 in	59060	59062	59064
2 in	59080	59082	59084
2.75 in	59090	NA	59094



RAWHIDE MALLETS

- Compressed under hydraulic pressure, then seasoned for durability
- Delivers firm blows from a larger striking face
- Top quality hardware handles
- Made in England to Vaughan specifications



Item #	Model #	Face Dia	Weight	Length
58208	RM100	1 in	3 OZ	10 in
58210	RM125	1.25 in	4 OZ	10 in
58212	RM150	1.5 in	6 OZ	10.75 in
58214	RM175	1.75 in	8 OZ	12 in
58216	RM200	2 in	12 OZ	12 in
58220	RM250	2.5 in	1.25 LB	13.5 in
58222	RM275	2.75 in	1.5 LB	13.5 in



SOLID COPPER & BRASS HAMMERS

- Brass Mallet deliver firm blows without damage to parts being struck.
- Hickory Handles
- Pure electrolytic copper heads absorb shock and distribute the force of blows evenly
- Top quality hardwood handles
- Made in England to Vaughan specifications






ltem #	Model #	Head	Face Dia	Weight	Length
59212	CM150	Copper	1.5 in	2 LB	11.25 in
59216	CM200	Copper	2 in	4 LB	13 in
59308	BM100	Brass	1 in	.75 LB	10 in
59312	BM150	Brass	1.5 in	1.5 LB	11 in
59316	BM200	Brass	2 in	3.75 LB	13 in

XAUGHAN

Split- Head Hammers

- Split head allows quick changes of faces and handles.
- Malleable iron heads are designed for uniform clamping pressure on handle and faces
- Extension collars transfer shock to more handle surface, reducing user fatigue and handle breakage
- Top quality hardwood handles
- Made in England to Vaughan specifications





Copper Face Hammers

- Malleable iron heads have grooved and tapered socket walls to help ensure a secure press fit for replaceable copper faces
- Made in England to Vaughan specifications



Item #	Model #	Face Dia	Weight	Length
58008	C100	1 in	1 LB	9 in
58010	C125	1.25 in	1.75 LB	10.75 in
58012	C150	1.5 in	2.75 LB	12 in
58014	C175	1.75 in	4 LB	13 in
58016	C200	2 in	6.5 LB	14 in
58018	C200L	2 in	8 LB	30 in



Rawhide Face Hammers

- Malleable iron heads have tapered sockets for the replacement faces
- Faces are compressed and thoroughly seasoned for uniformity and durability
- Top quality hardwood handles
- Made in England to Vaughan specifications



Item #	Model #	Face Dia	Weight	Length
58108	R100	1 in	.75 LB	9 in
58110	R125	1.25 in	1.5 LB	10.75 in
58112	R150	1.5 in	2 LB	12 in
58114	R175	1.75 in	2 7/8 LB	12 in
58116	R200	2 in	4.5 LB	14 in
58122	R275	2.75 in	7.25 LB	16 in



Copper/Rawhide Face Hammers

- Dual-purpose hammers will provide either the high impact of copper or the resilience of compressed rawhide
- Malleable iron heads have tapered socket walls to help insure a secure press fit for the replaceable faces
- Top quality hardwood handles
- Made in England to Vaughan specifications



ltem #	Model #	Face Dia	Weight	Length
58310	CR125	1.25 in	1.5 LB	10.75 in
58312	CR150	1.5 in	2.5 LB	12 in
58314	CR175	1.75 in	3.5 LB	12 in



Super-Plastic Mallets

- High density polyethylene heads have high impact and abrasion resistance
- Will not fracture or delaminate
- Highly resistant to acids and alkalis
- Top quality hardwood handles
- Made in England to Vaughan specifications



ltem #	Model #	Face Dia	Head Weight	Length
59104	PM175	1.75 in	7.75 OZ	12 in
59106	PM200	2 in	10.75 OZ	12 in
59108	PM250	2.5 in	17.25 OZ	13.5 in`



Professional Shingling Hatchet

- Polished heads
- Milled, crowned face
- Nail Slot & back blade
- Three hole gauged for standard and metric shingles (4.5", 5" and 14.3 cm)





ltem #	Model #	Head Weight	Face	Handle Type	Handle Length
20101	SH	14 OZ	Milled	Hickory	13 in
20110	GAUGE	N/A	N/A	N/A	N/A



Professional Drywall Hatchet

- Polished heads
- Milled, crowned face
- Thin , 1 ¾" cut
- Flat head for nailing close to corners



Item #	Model #	Head Weight	Face	Handle Type	Handle Length
21001	WB	12 OZ	Milled	Hickory	15.25 in



Professional Rigbuilder Hatchets

- Designed for Heavy Duty Construction
- Heat treated, drop forged, polished heads
- Extra large milled face
- 3 ½" cut



Item #	Model #	Head Weight	Face	Handle Type	Handle Length
20420	RB	28 OZ	Milled	Hickory	17 in



Standard Half Hatchet

- Standard weight for construction trades or handyman
- Heat treated, drop forged, polished head
- Smooth face
- 3 ½" cut
- Top quality American hickory handle



Item #	Model #	Head Weight	Face	Handle Type	Handle Length
20520	SH2	22 OZ	Smooth	Hickory	13 in





VAUGHAN SPECIALTY HATCHETS

- Lath Hatchets have extra thin blade
- Top quality American hickory handles

Item #	Model #	Hatchet Style	Head Weight	Face	Cut	Handle Length
20001	UL	Lath Hatchet	14 OZ	Milled	2.13 in	13 in



Vaughan Superbars – SCRAPES- LIFTS - PULLS

- Rocker head design for smoother pulling action ٠
- Polished, sharp blades for easy insertion
- Entire tool is drop forged and heat-treated from spring tempered steel for heavy duty use
- Provides excellent leverage
- Three beveled nail slots make every nail easy to reach



Item	Model	Weight	Length
45101	B215S	19 OZ	12 in
45201	B215L	32 OZ	21 in
45301	B215H	24 OZ	15 in



Bear Claw® Nail Pullers & Scarper Bars

- Flat claw slips easily under nail heads
- Minimal damage to wood surfaces
- Forged and tempered steel for strength
- Rounded edges for comfort & safety
- Rocker head provides excellent leverage



Item	Model	Weight	Length
57018	BC6	.28 LB	6.25 in
57021	BC8	.44 LB	7.75 in
57024	BC9	.65 LB	9.5 in
57027	BC10	.88 LB	10.5 in
57030	BC12	1.14 LB	11.75 in
57033	BC13	1.55 LB	13 in
57036	BC14	1.67 LB	14.25 in
57042	BCSB8	.47 LB	7.75 in
57043	BCSB10	.75 LB	9.75 in
57050	BCSB16	1.95 LB	16 in



Hex stock nail pullers and pry bars

- Nail pullers designed to extracting deeply imbedded nails
- Forged from high carbon steel
- Hardened and tempered for strength & long life
- Blue, rust resistant finish



Item #	Model #	Style	Hex Stock	Weight	Length
46502	NP12G	w/grip	5/8 in	20 OZ	11.5 in
47002	NP12DE	Double End	5/8 in	16 OZ	11 in
45501	RB18	Ripping	3/4 in	40 OZ	18 in



Bantom Bars

- Heat treated, stamped flat bar
- Nail slot
- Sharpened scraper blades
- Blue, rust resistant finish



Item #	Model #	Angle	Weight	Length
46201	BT45	45°	5 OZ	9 in
46210	BT90	90°	5 OZ	8.5 in



Vaughan Mini Bar

- Versatile tool
- Pulls small nails and staples
- Pry's open paint can
- Carded for pegboard display
- Blue, rust resistant finish



Item #	Model #	Clip Strip	Weight	Length
46004	222	No	1 OZ	5.5 in
46003	222CS	Yes – 10	1 OZ	5.5 in



Molding Lifter Bar

- Wide, sharp blades slip easily under molding and baseboard
- Curved ends provide excellent leverage
- Forged, tempered steel
- Chrome plated
- Made in Japan to Vaughan specifications

ltem #	Model #	Wgt	Length
57039	MLB	9.5 OZ	10 in



Camp Axes

- All steel model is fully polished.
- American hickory handle model is ground smooth with rust resistant black finish
- Flat striking face with beveled edges





ltem #	Model #	Style	Nail Slot	Sheath	Head Wgt	Length
33402	AS1 ¼	All Steel	Yes	Yes	1.25 LB	13 in
33502	AS2	All Steel	Yes	No	2 LB	18 in
33220	SC1 ¼	Hickory	No	No	1.25 LB	14 in
33224	SCS1 ¼	Hickory	No	Yes	1.25 LB	14 in
56200	SHEATH ONLY	NA	NA	NA	NA	NA



Oyster Hatchet

 Oyster Hatchet – a lightweight, forged hatchet with rust resistant black finish



Item #	Model #	Style	Sheath	Head Wgt	Length
21202	2/0	Oyster Hatchet	No	12 OZ	12 in



Single & Double Bit Axes

- Sub-Zero grade has hollow ground blades that permit deeper cuts and easier release
- SuperSteel grade has rust resistant black finish
- Drop forged and heat treated
- Heads are made in India to Vaughan specifications.
- Top quality American hickory handles



ltem #	Model #	Style	Polished	Hollow Ground	Head Wgt	Length
32201	ZDB3 ½	Double Bit	Yes	Yes	3.5 LB	36 in
30101	ZSB3 ½	Single Bit	Yes	Yes	3.5 LB	36 in
30624	SM3 ½	Single Bit	No	No	3.5 LB	20 in
30120	SSB3 ½	Single Bit	No	No	3.5 LB	36 in
30620	SSBD3 ½	Single Bit	No	No	3.5 LB	36 in
32220	SDB3 ½	Double Bit	No	No	3.5 LB	36 in

Bear Saw® Pull Saws

- Cuts on the pull rather than the push stroke
- Thinner blade, which removes less material, making sawing easier, faster and more accurate
- Blades are durable spring steel, plated for rust resistance
- Specialty ground, tri-edge teeth are impulse hardened to retain sharpness
- Blade locks securely in handle



B

Item #	Model #	Blade Style	Cut in.	Pitch TPI	Length	Rpl Blade
56910	BS333C	Coarse/Medium	13	9	20.75 in	56912
56920	BS265M	Medium/Fine	10.5	14	17.5 in	56922
56930	BS250D	Double Edged	10	18 & Gradated	23 in	56932
56950	BS240P	Extra Fine	8 3/8	17	16.5 in	56952
56956	BS150D	Fine/Extra Fine	5.5	17 & 21	12 in	56982
56964	BS150C	Compass Saw	6	17	12.5 in	NA
56968	TS210U	Tuck Saw Universal	8	9	17 in	NA
56960	PR6	Drywall/Wallboard	NA	8	NA	56962



Flipmarker[™] Carpenters Marking Tool

- Double-ended marking tool combines a carpenter's pencil with a color marking crayon
- Write on any surface wood, concrete or metal
- Ideal for on-the-job color coding of utility services
- 40 piece Display Box contains 20 each Blue and Red Flipmarkers



Item #	Model #	Color	Package
52002	FMBL	Black	Bag of 10
52003	FMBU	Blue	Bag of 10
52005	FMR	Red	Bag of 10
52007	FMDS	Blue/Red	20 each in Display Box



BOWJAK™ Decking Tool -

- Straighten crooked, bent or warped boards
- Fast and easy on decking, flooring, tongue & groove, ceilings, siding, composites and log work
- Use in any position horizontal, vertical or overhead
- Compact design fits most tool pouches
- Lightweight
- Can close gaps up to 2.25 in
- Easy to store with handy "tail hook"
- Made in China to Vaughan specifications



Item	Model	Weight	Length
49001	BJ11	2 LB	11 in



American Hickory Replacement Handles



- Top Quality American Hickory Handles
- Select from several grades of hickory
- Machine gauged for accuracy
- Double sanded, buffed and lacquered for maximum hand comfort
- Wood and steel wedges included, along with easy to follow assembly instructions

SEE BROCHURE FOR COMPLETE LISTING



MORE THAN A CENTURY OF CRAFTSMANSHIP IN STRIKING TOOLS



The Toughest Tools in Your Box



BUILT FOR PROFESSIONAL WHO KNOW THEIR TOOLS – "Duh-LOO-gee"



Curved Handle Hammers

- Designed *for* professional carpenters
- Dalluge balance precise head to handle weight ratio feels like much lighter hammer
- Surer, deeper, more powerful nail driving
- Top quality American hickory handle curved



Item #	Model #	Face Style	Nail Start	Head Wgt	Length
02115	2115C	Framing, serrated	Yes	21 OZ	18 in



Straight Handle Hammers

- Designed *for* professional carpenters
- Dalluge balance precise head to handle weight ratio feels like much lighter hammer
- Surer, deeper, more powerful nail driving
- Top quality American hickory handle straight



Item #	Model #	Face Style	Nail Start	Head Wgt	Length
02110	2110	Framing, serrated	Yes	21 OZ	17 in

TRADESMAN TOUGH

Trim Hammers

- Designed *for* professional carpenters
- Smooth face hammers for trim work
- Dalluge balance precise head to handle weight ratio feels like much lighter hammer
- Surer, deeper, more powerful nail driving
- Top quality American hickory handle



Item #	Model #	Handle Style	Head Wgt	Length
01600	1600	Straight	16 OZ	14 in
01650	1650	Curved	16 OZ	14 in

RADESMAN



Titanium Hammers

- Designed *for* professional carpenters
- Lightweight Titanium heads
- Dalluge balance precise head to handle weight ratio feels like much lighter hammer
- Surer, deeper, more powerful nail driving



ltem #	Model #	Face Style	Handle Style	Nail Start	Head Wgt	Length
07170	7170	Serrated	Hickory Straight	Yes	14 OZ	15 in
07172	7172	Serrated	Fiberglass	Yes	14 OZ	17 in
07175	7175	Serrated	Hickory Curved	Yes	14 OZ	19 in
07180	7180	Serrated	Hickory w/overstrike	Yes	16 OZ	17 in
07182	7182	Smooth	Hickory w/overstrike	Yes	16 OZ	17 in



Dalluge Dawg Hammers

- Designed *for* professional carpenters
- Smooth face hammers for trim work
- Surer, deeper, more powerful nail driving
- Made in China to Vaughan specifications



Item #	Model #	Handle Style	Head Wgt	Length
02170	02170	Straight	21 OZ	18 in
02180	02180	Curved	21 OZ	18 in



DA Bar[®] Nail Pullers, Scrapers & Pry Bars

- Flat claw slips easily under nail heads
- Minimal damage to wood surfaces
- Forged and tempered steel for strength
- Rounded edges for comfort & safety
- Rocker head provides excellent leverage
- Chrome finish

Item #	Model #	Description	Length
04200	04200	Nail Puller	8 in
04201	04201	Scraper Bar	8 in
04250	04250	Nail Puller	10 in
04251	04251	Scraper Bar	10 in
04280	04280	Nail Puller	11 in
04300	04300	Nail Puller	12 in
04410	04410	Pry Bar	16 in
04420	04420	Pry Bar	24 in



Dalluge Replacement Handles

- Top quality American hickory handles
- Gauged to fit Dalluge Hammers
- Wood & steel wedges included



ltem #	Model #	Fits	Length
03000	3000	17" Straight handle for all steel models	17 in
03100	3100	19" Straight handle for all steel model	19 in
03200	3200	14" Straight for 12 oz & 16 oz. Trim Hammers	14 in
03250	3250	14" Curved for 12 oz & 16 oz Trim Hammers	14 in
03500	3500	18" Curved handle for all steel models	18 in
03700	3700	18" Straight handle for all steel models	18 in
03750	3750	19" Curved handle for all steel models	19 in
03800	3800	17" Straight handle for 07180 & 07182	17 in

GROUNDBREAKER5®

Mini Groundbreakers

- Ideal for working around the house; gardening, flower beds and light landscaping work
- 16" Handle easy to grip; ideal for one-hand use
- Light 1.75# overall weight allows "hammer like" stroke which maximizes ease of use while minimizing hand and arm fatigue
- Quick changing heads



Item	Model	Description	Head Weight	Grip	Handle Length
86101	MP	Mini Pick	1.1 lb.	No	16"
86201	MT	Mini Tiller	1.2 lb.	No	16"
86401	MPL	Mini Planter	1.3 lb.	No	16"

GROUNDBREAKER5®

Handy Mattocks

- E-Z Change Genuine Hickory Handles Available in two lengths. 36" handle requires less back bending
- Mattock end on all tools helps remove dirt to expose roots or parts to be cut and will scoop loosened soil
- Axe style is designed for one hand use, effective in tight places
- Tiller is ideal for planting on hilly ground and cultivating
- Pick will break up hardened surface soil in dry weather
- Quick changing heads
- 6 n 1 Tool Kit contains all three heads and one each 16" & 36" Replacement Handles

K	K	

Item	Model	Description	Head Weight	Grip	Handle Length
85101	НМР	Handy Mattock Pick	2 lb.	No	16"
85131	HMPL	Handy Mattock Pick	2 lb.	No	36"
85201	HMT	Handy Mattock Tiller	2 lb.	No	16"
85231	HMTL	Handy Mattock Tiller	2 lb.	No	36″
85301	НМА	Handy Mattock Axe	2 lb.	No	16"
85331	HMAL	Handy Mattock Axe	2 lb.	No	36"



- Scooped planter head is designed to help plant trees and shrubs
- Opposite the planter head is a pick point for penetrating hard soil and loosening the round at the bottom of the planting hole
- Available in three handle styles
- Quick changing heads



Item	Model	Description	Head Weight	Handle Material	Handle Style
85401	PL	Planter	5 lb.	Hickory	36" Curved
85460	PLS	Planter	5 lb.	Hickory	36" Straight

GROUNDBREAKER5®

Trencher

- Facilitates the digging of a narrow, accurately configured trench for PVC pipes, underground conduits, drip irrigation lines and the like
- Pointed pick end will penetrate the hardest soil
- Mattock end finishes the trench
- Curved handle helps the user place each strike accurately head can be reversed
- Quick changing heads



Item	Model	Description	Head Weight	Handle Material	Handle Style
85601	TR	Trencher	4.5 lb.	Hickory	36" Curved
85660	TRS	Trencher	4.5 lb.	Hickory	36" Straight



MORE THAN A CENTURY OF CRAFTSMANSHIP IN STRIKING TOOLS