

VAUGHAN



Small tools



CATALOG AND PRICE LIST
NOVEMBER 16th, 1942



VAUGHAN & BUSHNELL
MANUFACTURING CO.
CHICAGO, ILLINOIS



TERMS, CONDITIONS and PRICES

Subject to change without notice.

This price list cancels all previous quotations.

All orders accepted subject to strikes, fires, unavoidable delays, and our ability to supply.

SETTLEMENTS: 60 days net. Invoices dated between the 1st and 15th of the month inclusive, to be discounted at 2% on or before the 25th of the same month; invoices dated between the 16th and 31st of the same month inclusive, are to be discounted at 2% on or before the 10th of the following month.

All claims for allowances must be made promptly on receipt of goods. Remittances must be made in par funds in Chicago or New York.

Sales in the State of Illinois of items purchased for consumption and not for resale are subject to an additional charge of 2% on account of the Retailers' Occupational Tax Act.

FREIGHT TERMS: Prices on ALL ITEMS are F.O.B. Chicago. Freight equalized with the nearest recognized competing factory except on WRECKING BARS and HOOKS. We will allow an additional freight allowance up to 50 cents per 100 pounds on shipments of 100 pounds or more.

On freight shipments direct to jobbers' customers there is no freight equalization or freight allowance and an additional charge of 5% will be made—no charge less than 50 cents. On all other shipments direct to jobbers' customers there is an additional charge of 5%.

Recognized competing factories:

Cleveland, Ohio
Evansville, Ind.

Meadville, Pa.
Newark, N. J.
Newcomerstown, O.

Philadelphia, Pa.
Southington, Conn.

We will gladly replace, if returned to us, any first quality tool stamped with our name that may prove defective either in material or workmanship.

GENERAL SALES OFFICES

135 So. La Salle St., Chicago, Ill.

BRANCH SALES OFFICES


207 A St.
Boston, Mass.

827 Sheldon Bldg.
San Francisco, Calif.

925 Washington Bldg.
Los Angeles, Calif.

505 Maritime Bldg.
Seattle, Wash.

101 Security Bldg.
Portland, Ore.



PIN PUNCH

COLD CHISEL

PRICK PUNCH

CENTER PUNCH



LONG TAPER PUNCH

Vaughan Square Punches and Chisels

Vaughan Square Punches and Chisels are forged from extra refined, beveled, square steel and are carefully tempered and individually tested. The beveled square steel keeps the tools from rolling and affords a more comfortable grip. Ideal for automotive use as well as around the house and farm.

No. 70 Cold Chisels

Order by No. and
Size of Steel

Steel	Cut	Length	Doz. Net
$\frac{1}{4}$	$\frac{1}{4}$	5	\$2.53
$\frac{1}{2}$	$\frac{1}{2}$	6	2.91
$\frac{5}{8}$	$\frac{5}{8}$	7	3.46
$\frac{3}{4}$	$\frac{3}{4}$	$7\frac{1}{2}$	4.34

Center Punches

Order by Number

No.	Steel	Length	Doz. Net
79	$\frac{1}{2}$	$5\frac{1}{4}$	\$2.53

Pin Punches

Order by Number

No.	Point	Steel	Lgth.	Doz. Net
73	$\frac{3}{32}$	$\frac{1}{4}$	$4\frac{1}{2}$	\$2.53
74	$\frac{1}{8}$	$\frac{1}{4}$	$4\frac{7}{8}$	2.53
75	$\frac{5}{32}$	$\frac{5}{16}$	$5\frac{1}{2}$	2.53
76	$\frac{3}{16}$	$\frac{3}{8}$	$5\frac{3}{4}$	2.53
77	$\frac{7}{32}$	$\frac{7}{16}$	$6\frac{1}{8}$	2.53

Prick Punches


Order by Number

No.	Steel	Length	Doz. Net
78	$\frac{3}{8}$	5	\$2.53
79	$\frac{1}{2}$	6	2.53

Long Taper Machine Punches

Order by Number

No.	Point	Steel	Lgth.	Doz. Net
703	$\frac{3}{32}$	$\frac{5}{16}$	9	\$2.91
704	$\frac{1}{32}$	$\frac{3}{8}$	9	2.91
705	$\frac{5}{32}$	$\frac{7}{16}$	9	2.91



No. 700 ASSORTMENT

Assortment consists of 2 each of the Punches and Chisels listed, with one Wooden Display Block, which will hold all 30 of the tools. This display is adapted for counter or show window, helping to greatly increase the sale of this class of tools.

VAUGHAN AUTOMOTIVE PUNCH & CHISEL ASSORTMENT No. 700

Consists of 2 each of the above Punches and Chisels with one Wooden Display Block, which will hold all 30 of the tools.

No. 700 Punch and Chisel Assortment.....
Packed 1 to a box

Each \$7.48

Vaughan Cold Chisels

Order by number and Diameter of Steel



No. 25 Cold Chisel

Forged from Extra Refined Steel

Polished taper, black body, making a very attractive tool. We recommend this Chisel for hard work.

No. 25

Steel	Cut	Lgth. In.	Doz. Net	Steel	Cut	Lgth. In.	Doz. Net
1/4	5/16	5	\$2.31	1/2	5/8	6	\$3.19
5/16	3/8	5 1/4	2.42	5/8	3/4	7	3.85
3/8	7/16	5 1/2	2.64	3/4	7/8	7 1/2	5.00
7/16	1/2	6	2.91	7/8	1	8	6.16
				1	1 1/8	8 1/2	7.26



No. 45 Cold Chisel

Regular Taper. Polished. Natural Finish Body. This Chisel is the Standard Pattern, first quality.

No. 45

1/4	5/16	5	\$2.20	1/2	5/8	6	\$3.02
5/16	3/8	5 1/4	2.31	5/8	3/4	7	3.63
3/8	7/16	5 1/2	2.53	3/4	7/8	7 1/2	4.84
7/16	1/2	6	2.80	7/8	1	8	5.88
				1	1 1/8	8 1/2	6.87

No. 45—Ex. Lengths

Steel	Cut	Lgth. In.	Doz. Net
5/8	3/4	12	\$5.44
3/4	7/8	12	7.04
1	1 1/8	12	**

No. 60

Steel	Cut	Lgth. In.	Doz. Net	Steel	Cut	Lgth. In.	Doz. Net
1/4	1/4	5	\$1.65	1/2	1/2	6	\$2.53
5/16	5/16	5 1/4	1.81	5/8	5/8	7	3.19
3/8	3/8	5 1/2	1.92	3/4	3/4	7 1/2	4.23
7/16	7/16	6	**	7/8	7/8	8	5.33
				1	1	8 1/2	6.16



No. 60 Cold Chisel

Straight Side Polished Taper. Attractive Black Finish. A special Chisel with cut same size as steel.

No. 60—Ex. Lengths

Steel	Cut	Lgth. In.	Doz. Net
1/2	1/2	12	\$4.23
5/8	5/8	18	5.83
3/4	3/4	12	5.55
3/4	3/4	18	7.15
7/8	7/8	12	**
7/8	7/8	18	**
1	1	12	**
1	1	18	**

No. 40

Steel	Cut	Lgth. In.	Doz. Net	Steel	Cut	Lgth. In.	Doz. Net
1/4	5/16	5	\$1.21	1/2	5/8	6	\$1.70
5/16	3/8	5 1/4	1.26	5/8	3/4	7	2.09
3/8	7/16	5 1/2	1.32	3/4	7/8	7 1/2	2.75
7/16	1/2	6	1.59	7/8	1	8	3.85
				1	1 1/8	8 1/2	4.84



No. 40 Cold Chisel

Regular Taper. Black Finish.

Note: Items marked ** have been discontinued.

Vaughan Chisels

Order by number and Size of Cut.

Cape Chisels

No. 50

Cut	Steel	Lgth. In.	Doz. Net
$\frac{3}{16}$	$\frac{1}{4}$	5	**
$\frac{1}{4}$	$\frac{5}{8}$	7	3.63
$\frac{5}{16}$	$\frac{5}{8}$	7	3.63
$\frac{3}{8}$	$\frac{5}{8}$	7	3.63
$\frac{1}{2}$	$\frac{3}{4}$	$7\frac{1}{2}$	4.84
$\frac{5}{8}$	$\frac{3}{4}$	$7\frac{1}{2}$	**
$\frac{3}{4}$	$\frac{7}{8}$	$7\frac{1}{2}$	**



No. 50 Cape Chisel

Forged from Extra Refined Steel. Polished Blade and Head. Black Finish Body.

Diamond Point Chisels

No. 55

Cut	Steel	Lgth. In.	Doz. Net
$\frac{3}{16}$	$\frac{5}{16}$	5	**
$\frac{1}{4}$	$\frac{5}{8}$	$7\frac{1}{4}$	4.01
$\frac{5}{16}$	$\frac{5}{8}$	$7\frac{1}{4}$	4.01
$\frac{3}{8}$	$\frac{5}{8}$	$7\frac{1}{4}$	4.01
$\frac{1}{2}$	$\frac{3}{4}$	$7\frac{1}{4}$	5.44



No. 55 Diamond Point Chisel

Forged from Extra Refined Steel. Polished Blade and Head. Black Finish Body.

Round Nose Chisels

No. 65

Cut	Steel	Lgth. In.	Doz. Net
$\frac{3}{16}$	$\frac{5}{16}$	5	**
$\frac{1}{4}$	$\frac{5}{8}$	$6\frac{3}{4}$	4.01
$\frac{5}{16}$	$\frac{5}{8}$	7	4.01
$\frac{3}{8}$	$\frac{5}{8}$	7	4.01
$\frac{1}{2}$	$\frac{3}{4}$	$7\frac{1}{4}$	5.44



No. 65 Round Nose Chisel

Forged from Extra Refined Steel. Polished Blade and Head. Black Finish Body.

Plumbers' Steel Wood Chisels

Cut	Steel	Lgth. In.	Doz. Net
$\frac{3}{4}$	$\frac{1}{2}$	10	\$5.86
1	$\frac{5}{8}$	11	6.60
$1\frac{1}{4}$	$\frac{3}{4}$	$11\frac{1}{2}$	7.32



Plumbers' Steel Wood Chisel

Forged Steel, Polished Blade, Black Finish Body.

Floor Chisel

Cut	Steel	Lgth. In.	Doz. Net
2	$\frac{5}{8}$	10	\$7.31
$2\frac{1}{2}$	$\frac{5}{8}$	11	8.19
3	$\frac{5}{8}$	12	9.13



Floor Chisel
Black Shank—Polished Blade

Floor Chisel has thin blade, enabling easy cutting of the tongue on matched flooring without marring the surface. Every carpenter, plumber and electrician should have this chisel in his kit.

*Concrete Chisels

Size Steel	Length Inches	Doz. Net
$\frac{7}{8}$	12	\$7.26
1	12	8.47
1	18	10.89
$1\frac{1}{8}$	18	**
$1\frac{1}{8}$	24	**
$1\frac{1}{4}$	18	16.94
$1\frac{1}{4}$	24	**

*Packed loose.



Concrete Chisel
Black Finish—Red Tip—Hexagon Steel

V & B Concrete Chisels are designed especially for breaking through sections of concrete or street pavements. They are made of extra heavy steel and are individually tempered and tested.

Vaughan Miscellaneous Tools

Star Drills receive severe usage and must be made right in order to give satisfactory service. Vaughan Star Drills are made of extra refined steel. They are individually tempered and individually tested. Double Duty Drills are forged from Tool Steel. The long grooves allow ample clearance for the brick and cement.

Star Drills

Vaughan

Black Finish
Polished Wings and
Cutting Edge

12 inch length

Size In.	Wgt. Lbs. Per Doz.	Doz. Net
1/4	2 1/4	\$3.35
5/16	3 1/4	3.35
3/8	3 1/4	3.35
7/16	4 1/4	3.56
1/2	4 1/2	3.96
5/8	8	4.75
3/4	12	5.54
7/8	17	6.33
1	22	7.12
1 1/8	23	**
1 1/4	24	11.88
1 1/2	26	**

Double Duty

Black Finish

12 inch length


Size In.	Wgt. Lbs. Per Doz.	Doz. Net
1/4	2 1/4	\$2.02
5/16	3 1/4	2.02
3/8	3 1/4	2.02
7/16	4 1/4	2.12
1/2	4 1/2	2.37
5/8	8	2.83
3/4	12	3.32
7/8	17	3.79
1	22	4.27
1 1/8	23	**
1 1/4	24	**
1 1/2	26	**



Vaughan Star Drill



Double Duty Star Drill



No. 324-330 Wrecking Bar

Special attention is called to the Spoon-shaped Claw, designed for pulling spikes, and to the Heel on the prying end. The back of the claw is curved to readily engage the spike.

18 inch length

3/8	4 3/4	\$4.35
1/2	7	4.93
5/8	12	5.94
3/4	19	6.93
7/8	27	7.92
1	36	8.91
1 1/8	37	**
1 1/4	38	13.86
1 1/2	52	**

18 inch length

3/8	4 3/4	\$2.60
1/2	7	2.97
5/8	12	3.56
3/4	19	4.16
7/8	27	4.75
1	36	5.35
1 1/8	37	**
1 1/4	38	**
1 1/2	52	**

All Star Drills packed as follows: 1/4 to 3/4 inch, twelve in a box, 7/8 inch and larger, six in a box.

*Wrecking Bars

No.	Lgth. In.	Steel	Bend Doz. Net
324	24	3/4	**
330	30	3/4	**

No.	Lgth. In.	Steel	Black Finish Doz. Net
12	12	1/2	**
18	18	5/8	**
24	24	3/4	**
30	30	3/4	**
36	36	7/8	**

*Packed Loose



No. 12-18-24-30-36 Wrecking Bar

A new design recessed claw with longer and narrower slot for pulling nails. The back of claw is flat for ripping purposes.

Bricklayers' Chisels

Offset Shank

No.	Cut	Lgth. In.	Doz. Net
12 1/2	2 1/2	6 3/4	**
13	3	6 3/4	\$6.76
13 1/2	3 1/2	7 1/2	7.09
14	4	7 1/2	7.48
14 1/2	4 1/2	7 1/2	7.97



No. 13 1/2
Bricklayers'
Chisel

Forged Steel, Black Finish Body, Polished Finish Head and Blade, Oil Tempered. Double Bevel.

Bricklayers' Sets

Offset Shank

No.	Cut	Lgth. In.	Doz. Net
2 1/2	2 1/2	6 3/4	**
3	3	6 3/4	\$6.76
3 1/2	3 1/2	6 3/4	7.09
4	4	7	7.48
4 1/2	4 1/2	7 1/4	7.97



No. 3 1/2
Bricklayers'
Set

Forged Steel, Black Finish Body, Polished Finish Head and Blade, Oil Tempered. Single Bevel.

Note: Items marked ** have been discontinued.

Vaughan Punches

Machine Punches

Special Taper. Polished.

No.	Size	Doz. Net	No.	Size	Doz. Net
11	$\frac{8}{32} \times \frac{1}{2} \times 6$	\$2.91	15	$\frac{4}{32} \times \frac{3}{8} \times 6$	\$2.91
12	$\frac{7}{32} \times \frac{1}{2} \times 6$	2.91	16	$\frac{3}{32} \times \frac{3}{8} \times 6$	2.91
13	$\frac{6}{32} \times \frac{1}{2} \times 6$	2.91	80	$\frac{3}{16} \times \frac{1}{2} \times 8$	3.41
14	$\frac{5}{32} \times \frac{3}{8} \times 6$	2.91	90	$\frac{7}{32} \times \frac{5}{8} \times 9$	4.34
			100	$\frac{1}{4} \times \frac{3}{4} \times 10$	5.83



Nos. 11 to 100 Machine Punch. Special Taper—Polished Finish

Regular Taper. Polished.

Black Body

41	$\frac{8}{32} \times \frac{1}{2} \times 6$	\$2.42	46	$\frac{3}{32} \times \frac{1}{2} \times 6$	\$2.42
42	$\frac{7}{32} \times \frac{1}{2} \times 6$	2.42	8	$\frac{5}{32} \times \frac{1}{2} \times 8$	2.91
43	$\frac{6}{32} \times \frac{1}{2} \times 6$	2.42	9	$\frac{3}{16} \times \frac{5}{8} \times 9$	3.41
44	$\frac{5}{32} \times \frac{1}{2} \times 6$	2.42	10	$\frac{1}{4} \times \frac{3}{4} \times 10$	4.34
45	$\frac{4}{32} \times \frac{1}{2} \times 6$	2.42			



Nos. 41 to 10 Machine Punch. Regular Taper—Polished Black Body

Regular Taper

Black Finish

1	$\frac{8}{32} \times \frac{1}{2} \times 6$	\$1.59	4	$\frac{5}{32} \times \frac{1}{2} \times 6$	\$1.59
2	$\frac{7}{32} \times \frac{1}{2} \times 6$	1.59	5	$\frac{4}{32} \times \frac{1}{2} \times 6$	1.59
3	$\frac{6}{32} \times \frac{1}{2} \times 6$	1.59	6	$\frac{3}{32} \times \frac{1}{2} \times 6$	**



Nos. 1 to 6 Machine Punch Regular Taper—Black Finish

Lining-Up or Drift Punch

Forged No.	Size	Knurled	Polished
70	$\frac{3}{16} \times \frac{1}{2} \times 9$		\$4.12



No. 70 Lining-Up or Drift Punch

Pin Punch

Forged No.	Size	Knurled	Polished
23	$\frac{3}{16} \times \frac{1}{2} \times 6$		\$2.80



No. 23 Pin Punch

*Center Punches

Forged No.	Size	Knurled	Polished
50	$\frac{3}{8} \times 4$		\$1.87
145	$\frac{1}{2} \times 6$		2.80



No. 50 Center Punch

*Prick Punches

Forged No.	Size	Knurled	Polished
50	$\frac{3}{8} \times 4$		\$1.87
145	$\frac{1}{2} \times 6$		2.80




No. 50 Prick Punch


*Packed 12 in a box.

Note: Items marked ** have been discontinued.

Vaughan Pincers, Nippers and Small Tools




No. 6 to 12 Carpenter Pincer with Wire Cutter
Polished Jaws




No. 206 to 212 Carpenter Pincer
without Wire Cutter
Polished Jaws



No. 10 Blacksmith Pincer
Polished Jaws



No. 314 Cutting Nippers
Polished Jaws



No. 212 Hoof Parer
Polished Jaws. Lap Joint.



Tinners' Rivet Sets



Farmers' Rivet Sets
Natural Finish



No. 14 Countersink Bit
Rose Pattern for Brass



No. 15 Countersink Bit
Snail Pattern for Wood

Pincers

Carpenters'

No.	Lgth. In.	Wgt. Doz.	Doz. Net
6	6	5 1/2	\$7.04
8	8	10	7.70
10	10	15	9.18
12	12	18	10.67
206	6	5	6.27
208	8	9 1/2	7.04
210	10	14	8.47
212	12	17	9.90

Blacksmiths'

12	12	21	\$11.49
14	14	24	12.10

Cutting Nippers

312	12	23	\$12.00
314	14	25	12.81

Hoof Parers

Polished Jaws—Black Handles—
Lap Joint

212	12	23	\$14.52
214	14	25	15.73

Tinners' Rivet Sets

No.	For Iron Rivets, Lbs.	For Copper Rivets Nos.	Lgth. In.	Doz. Net
00	14		5 1/2	\$8.30
0	12 & 10	5	5 1/2	8.30
1	8	6	5	6.60
2	6	7	5	6.60
3	5 & 4	8	4 1/2	5.33
4	3 & 2 1/2	9	4 1/2	5.33
5	2 & 1 3/4	10 & 11	4 1/2	5.33
6	1 1/2	12	4 1/4	4.23
7	1 1/4	13	4 1/4	4.23
8	12 & 10 oz.	14	4 1/4	4.23

Farmers' Rivet Sets

7	6	7	4 1/2	\$2.42
8	5 & 4	8	4 1/2	2.42
9	3 & 2 1/2	9	4 1/2	2.42
10	2 & 1 3/4	10 & 11	4 1/2	2.42

Bits

Countersink

No.	Lgth. Overall In.	Doz. Net
14	4 1/2	\$4.07
15	4 1/2	4.07

Vaughan Hooks, Scrapers and Tongs

Bar Hooks Solid Steel, Forged Points Tinned Finish

NOTE—Hooks to fit 2-inch Bar will be furnished unless otherwise specified.

No.	Steel	To fit Bar, in.	Length in.	Hook Projects in.	Wgt., lbs., per doz.	Gross Net
24	$\frac{5}{16}$	$\frac{1}{2}$	4	$2\frac{1}{2}$	$2\frac{1}{2}$	\$12.10
		$1\frac{1}{2}$	4	$2\frac{1}{2}$	3	
		$1\frac{3}{4}$	4	$2\frac{1}{2}$	$3\frac{1}{8}$	
		2	4	$2\frac{1}{2}$	$3\frac{1}{4}$	
28	$\frac{1}{2}$	2	5	$3\frac{1}{4}$	$9\frac{1}{2}$	26.22
22	$\frac{7}{16}$	$\frac{1}{2}$	$4\frac{3}{4}$	$2\frac{3}{4}$	$5\frac{3}{4}$	19.36
		$1\frac{3}{4}$	$4\frac{3}{4}$	$2\frac{3}{4}$	$6\frac{5}{8}$	
		2	$4\frac{3}{4}$	$2\frac{3}{4}$	$6\frac{3}{4}$	
26	$\frac{3}{8}$	$1\frac{3}{4}$	4	$2\frac{1}{2}$	$4\frac{3}{8}$	14.74
		2	4	$2\frac{1}{2}$	$4\frac{3}{8}$	
30	$1\frac{1}{2} \times \frac{1}{8}$	$\frac{3}{8}$	$2\frac{1}{4}$	$1\frac{1}{2}$	1	11.00

Nos. 22, 24, 26 and 28 packed twelve in a box.
No. 30 packed 3 dozen in a box.

Box or Hay Hooks

No.	Steel	Wood Handle in.	Overall in.	Under Handle in.	Wgt. Lbs. Per Doz.	Doz. Net
1	$\frac{7}{16}$	$5\frac{1}{4}$	$8\frac{1}{2}$	7	$7\frac{3}{4}$	\$2.91
12	$\frac{7}{16}$		12	$8\frac{1}{2}$	12	2.91

No. 1, Wood Handle. No. 12, Loop Handle.

Box Scrapers

Triangular Blade of Extra Warranted Steel with Polished Finish Bevels. Heavy Steel Ferrule. Shank extends half way through handle and is secured by rivet passing through handle and shank. Blade is held in place by nut screwed on end of shank. Light oil shellac handle.

No.	Width, cut Edge, in.	Lgth. of Handle, in.	Lgth. over all, in.	Wgt. Lbs. Per Doz.	Doz. Net
6	$2\frac{3}{4}$	$7\frac{1}{2}$	12	$8\frac{1}{2}$	\$6.60
6 Blades					3.52

Block or Ship Scrapers

Triangular Blade of Extra Warranted Steel with Polished Finish Bevels. Malleable Iron Ferrule. Blade is held in place by heavy machine bolt screwed into top of Ferrule. Walnut Stained Hickory Handle.

No.	Width, cut Edge, in.	Lgth. of Handle, in.	Lgth. over all, in.	Wgt. Lbs. Per Doz.	Doz. Net
8	5	$13\frac{1}{2}$	17	19	\$11.00
8 Blades					4.40

Hog Scrapers Stained Handles

No. 6 Scraper designed for packing house use. The Blade is secured by bolt through handle.


No. 8 Scraper is designed for farmers' use.

No.	Sheet Steel Gauge	Diam. of Blade, in.	Lgth. of Handle, in.	Lgth. over all, in.	Wgt., Lbs. per doz.	Doz. Net
6 Blued Blade	18	$4\frac{1}{2}$	$5\frac{1}{2}$	$6\frac{3}{4}$	7	\$3.02
8 Natural Blade	20	4	$5\frac{1}{2}$	$6\frac{1}{2}$	$5\frac{1}{2}$	2.09

*Ice Tongs

No.	Span In.	Wgt. Doz.	Doz Net
7	15	30	\$9.13


*Packed loose.



No. 24 Bar Meat Hook



No. 1 Box or Hay Hook



No. 12 Hay Hook




No. 6 Box Scraper



No. 8 Block or Ship Scraper



No. 6 Hog Scraper



No. 7 Ice Tong

Bent Handle
Duck Bill Points
Painted Black—Red Tip

INDEX

B

Bars, Wrecking	4
Bits, Countersink	6
Bull Points	3

C

Chisels, Bricklayers'	4
Chisels, Cape	3
Chisels, Carpenters' Ripping	3
Chisels, Cold	1, 2
Chisels, Concrete	3
Chisels, Diamond Point	3
Chisels, Floor	3
Chisels, Plumbers' Steel Wood	3
Chisels, Round Nose	3
Chisels, Wrecking	3

D

Drills, Star	4
--------------------	---

H

Hooks, Bar	7
Hooks, Box	7
Hooks, Hay	7

N

Nippers, Cutting	6
Nippers, Nail Cutting	6

P

Parers, Farriers' Hoof	6
Pincers, Blacksmiths'	6
Pincers, Carpenters'	6
Punches, Center	1, 5
Punches, Drift	5
Punches, Lining Up	5
Punches, Machine	1, 5
Punches, Pin	1, 5
Punches, Prick	1, 5

S

Scrapers, Elock	7
Scrapers, Box	7
Scrapers, Hog	7
Scrapers, Ship	7
Sets, Bricklayers'	4
Sets, Rivet	6
Star Drills	4

T

Tongs, Ice	7
------------------	---

W

Wrecking Bars	4
---------------------	---

GENERAL INFORMATION

An extra charge of 25 cents is made for broken packages.

PACKING AND SHIPPING INFORMATION

To estimate weight of Octagon tools use the following table of weights of octagon steel per foot:

$\frac{1}{4}$176	$\frac{5}{8}$	1.10
$\frac{5}{16}$275	$\frac{3}{4}$	1.58
$\frac{3}{8}$396	$\frac{7}{8}$	2.15
$\frac{7}{16}$539	1	2.81
$\frac{1}{2}$704	$1\frac{1}{8}$	3.56
		$1\frac{1}{4}$	4.40

All tools are packed one-half dozen in a box unless otherwise indicated on price list.