# VAUGHAN Fine Tools

Since 1869.





VAUGHAN products are made of special types of steel used to give the right degree of hardness that is best suited to the purpose of each tool.

Over 88 years experience in building a quality and serviceable line is behind VAUGHAN tools of today. That experience is your guarantee of VAUGHAN perfection.

We can say no more than

"It always pays to buy a good tool"

PRICE LIST NO. 67 SEPTEMBER 23, 1957

# VAUGHAN Jine Tools



#### VAUGHAN'S VANADIUM



Vaughan's Vanadium hammers are the accomplishment of over eighty-eight years of quality tool manufacture. Made from special V&B formula vanadium steel, the heads of these hammers are full polished and handled with the finest second growth white hickory — they are uniquely superior. The special non-slip claws firmly grip either brad or spike. These are tools of particular merit — widely acclaimed by carpenters.

Retail

#### VANADIUM NAIL

Octagon Neck — Round Poll Octagon Neck Handle

Number	Weight	I	PACKING	Price
	of Head	Boxed	Wgt. per Box	Each
V16	16 oz.	4	6 lbs.	\$4.50
V13	13 oz.	4	5 lbs.	4.50
	— Octagon Poll (not ill	ustrated)		
Full Octago	n Handle			
DO16	16 oz.	4	6 lbs.	\$4.50
DO13	13 oz.	4	5 lbs.	4.50
VANADIUM	RIPPING			
Octagon Neck Octagon Ne				
V16R	16 oz.	4	6 lbs.	\$4.50

#### VAUGHAN 999

A heavy duty, full polished, octagon neck, straight claw hammer with 1½ inch diameter round head designed for electricians, steamfitters, plumbers, millwrights, cement workers, and heavy carpentry work. Especially adapted for use with drills and concrete forms. Best grade second growth white oval hickory handle.



	Weight	Handle	$\mathbf{P}_{A}$	ACKING	Price
Number	of Head	Length	Boxed	Wgt. per Box	Each
999	20 oz.	14 in.	4	$7\frac{1}{2}$ lbs.	\$4.75
999L	20 oz.	16 in.	4	73/4 lbs.	5.00
999M*	20 oz.	14 in.	4	$7\frac{1}{2}$ lbs.	5.50
999ML*	20 oz.	16 in.	4	$7\frac{3}{4}$ lbs.	5.75
*Has flat mil	led face.				

# VAUGHAN Jime Tools



### VAUGHAN TUBULAR STEEL HAMMERS

The only tubular hammers with "Traditional Shape"



The only tubular hammers that have "traditional shape" handles—shaped just like hickory. Time-tested V&B standard head and natural rubber shock-absorbing grip, which feels like velvet yet won't slip in the hand. These hammers feel right . . . are shock resistant and resilient. Proved by lab test to be stronger than any others for their application . . . stronger, but look, feel and swing like hickory.

Full polished forged steel head of traditional size and shape.

Compression fitted to tubular steel handle under 3,000 pounds of pressure — permanently locking head and handle together.

Specially treated inner hickory plug - for resilience, added strength.

Shock-absorbing chrome-plated spring tempered tubular steel handle.

Natural rubber shock-absorbing grip — fits the hand.



		Handle		PACKING	Retail Price
Number	Size	Length	Boxed	Wgt. per Box	Each
TUBULAR N	AIL				
T16	16 oz.	13"	4	$6\frac{1}{2}$ lbs.	\$5.00
T13	13 oz.	123/4"	4	$5\frac{3}{4}$ lbs.	5.00
TUBULAR R	RIPPING				
T16R	16 oz.	13"	4	63/4 lbs.	\$5.00
TUBULAR 9	99				
999T	20 oz.	14''	4	$8\frac{1}{2}$ lbs.	\$5.25
999TM*	20 oz.	14''	4	$8\frac{1}{2}$ lbs.	6.00
999TL	20 oz.	16 <b>"</b>	4	83/4 lbs.	5.50
999TML*	20 oz.	16"	4	83/4 lbs.	6.25
*IT 0 11 *	l C				

\*Has flat milled face.

# VAUGHAN Jine Tools



### VAUGHAN ALL-STEEL HAMMERS



The head and handle of Vaughan All-Steel Hammers are forged from special quality steel. They are safer to use as the heads will not fly off. Wooden handle breakage is eliminated. To give better gripping, the genuine leather or rubber handle grips are formed to the exact shape of the conventional type wooden handle.

The striking head is precision machined providing a perfectly round face, properly crowned, with uniform bevel of correct size to reduce chipping of edges from glancing blows. The special non-slip claw will firmly grip either brad or spike. The striking head, claw and handle neck are all heat treated separately to the correct degree of hardness for each. The heads are proportioned the same as conventional types of hammers.



Striking head, sides, back of claw and handle neck highly polished. Genuine leather or genuine rubber handle grips as desired.

Number	Size	PA Boxed	CKING Wgt. per Box	Retail Price Each
ALL-STEEL NA	AIL		0	
With Leather	Grip			
AL16	16 oz.	4	$6\frac{3}{4}$ lbs.	\$4.95
With Rubber (	Grip			
AR16	16 oz.	4	7 lbs.	\$4.50
ALL-STEEL RI	PPING			
With Leather	Grip			
AL999	20 oz.	4	7 lbs.	\$5.25
AL16R	16 oz.	4	$6\frac{3}{4}$ lbs.	4.95
With Rubber (	Grip			
AR999	20 oz.	4	71/4 lbs.	\$4.75
AR16R	16 oz.	4	7 lbs.	4.50

## VAUGHAN BELL FACE NAIL & RIPPING HAMMERS

All Vaughan Nail and Ripping Hammers have non-slip claw which will firmly grip any size nail from brad to spike. The sides are crowned and will not dent the wood when matching flooring or wainscoting.



Supersteel—Head and face highly polished. Neck smooth black. Sides highly polished. Best grade, flat-sided two-tone hickory handle for firmer gripping.

	Weight	PACK	ING	Retail Price
Number	of Head	Boxed	Wgt. per Box	Each
NAIL			0.1	<b>Little</b>
S20	20 oz.	6	11 lbs.	\$4.25
S16	16 oz.	6	$8\frac{1}{2}$ lbs.	4.00
S13	13 oz.	6	$6\frac{2}{3}$ lbs.	4.00
S7	7 oz.	6	4 lbs.	3.95
RIPPING				
S20R	20 oz.	6	11 lbs.	\$4.25
S16R	16 oz.	6	83/4 lbs.	4.00
Value Brand	l—Smooth intermediate	grade polished	head with select	hickory handle.
NAIL				
VB20	20 oz.	6	11 lbs.	\$3.75
VB16	16 oz.	6	$8\frac{1}{2}$ lbs.	3.50
VB13	13 oz.	6	$6\frac{2}{3}$ lbs.	3.50
***				

6

3.45

3.40

\$3.75

3.50

lbs.

lbs.

 $3\frac{1}{2}$  lbs.

83/4 lbs.

VB7

VB5

RIPPING VB20R

VB16R

7 oz.

20 oz.

16 oz.





### VAUGHAN BELL FACE NAIL & RIPPING HAMMERS

Every Vaughan Hammer is made from high grade analysis steel and the handles are of select hickory carefully tested and graded. The famous Vaughan "built-in-balance" is something you can actually feel, a balance which permits the delivery of harder blows with greater accuracy and less fatigue.





	Weight	PAC	CKING	Retail Price
Number	of Head	Boxed	Wgt. per Box	Each
20th Centur	y—Ground black fin	ish head with good	grade clear lacquered hi	ckory handle.
NAIL				
TC16	16 oz.	6	$8\frac{1}{2}$ lbs.	\$2.59
TC13	13 oz.	6	$6\frac{2}{3}$ lbs.	2.59
TC7	7 oz.	6	4 lbs.	2.54
TC5	5 oz.	6	$3\frac{1}{2}$ lbs.	2.49
RIPPING				
TC16R	16 oz.	6	83/4 lbs.	\$2.59
Double Duty	y — Black forge fini	sh head with ivory	lacquered hickory hand	lle.
NAIL				
DD16	16 oz.	6	$8\frac{1}{2}$ lbs.	\$1.69
DD7	7 oz.	6	4 lbs.	1.64
RIPPING				
				\$1.69

# VAUGHAN Jine Tools (B) Since 1869

### VAUGHAN BALL PEIN HAMMERS



Vaughan ball pein hammers have been completely re-designed to meet every requirement of the skilled mechanic. The head, crowned face and bevel are precision machined for perfect shape and uniformity. More wood fiber in the eye and a machine gauged handle that "fits like a glove" reduce the possibility of head loosening or handle breaking. The handles are flattened slightly to assure a firm grip and prevent turning in the hand.

Number	Weight of Head	PACKI Boxed	NG Wgt. per Box	Retail Price Each
Supersteel-	-Face, sides of head a	and pein fully polished.	Best grade, two-tone	hickory handle.
S702	2 oz.	6	$1\frac{1}{2}$ lbs.	\$2.95
S504	4 oz.	6	3 lbs.	2.95
S406	6 oz.	6	$3\frac{1}{2}$ lbs.	2.95
S308	8 oz.	6	5 lbs.	3.10
S2012	12 oz.	6	61/4 lbs.	3.20
S016	16 oz.	6	$8\frac{1}{2}$ lbs.	3.45
S120	20 oz.	4	$7\frac{1}{4}$ lbs.	3.60
S224	24 oz.	4	$8\frac{1}{2}$ lbs.	3.80
S432	32 oz.	4	11 lbs.	4.10
S640	40 oz.	4	12 lbs.	4.30
Mechanics 1		and pein and smooth int andle. (Not Illustrated.)	termediate grade black	finish sides with
M504	4 oz.	6	3 lbs.	\$2.35
M406	6 oz.	6	$3\frac{1}{2}$ lbs.	2.35
M308	8 oz.	6	5 lbs.	2.50
M2012	12 oz.	6	61/4 lbs.	2.60
M016	16 oz.	6	$8\frac{1}{2}$ lbs.	2.85
M120	20 oz.	4	$7\frac{1}{4}$ lbs.	3.10
M224	24 oz.	4	$8\frac{1}{2}$ lbs.	3.25
M432	32 oz.	4	11 lbs.	3.50
M640	40 oz.	4	12 lbs.	3.75
20th Centur	<b>ry</b> —Ground forge fini (Not Illustrated.)	sh, polished face and p	oein. Clear lacquered	hickory handle.
TC308	8 oz.	6	5 lbs.	\$1.95
TC2012	12 oz.	6	$6\frac{1}{4}$ lbs.	2.05
TC016	16 oz.	6	8½ lbs.	2.25
TC120	20 oz.	4	$7\frac{1}{4}$ lbs.	2.45
TC224	24 oz.	4	$8\frac{1}{2}$ lbs.	2.60
TC432	32 oz.	4	11 lbs.	2.75



## VAUGHAN MECHANICS' HAMMERS



 $2\frac{1}{4}$  lbs.

\$3.10

Supersteel - Full polished square head. Best grade two-tone hickory handle.

3 oz.

TS3

8



## VAUGHAN BLACKSMITHS AND ENGINEERS HAMMERS






#### 20th Century Blacksmiths or Engineers

Number	Weight of Head	PACK Boxed	ING Wgt. per Box	Retail Price Each
BLACKSMITH	S (or ENGINEER	(S)		
${\it Supersteel}$ — Ful	l polished head. Best	grade two-tone hich	kory handle.	
B32	32 oz.	4	10 lbs.	\$4.80
B40	40 oz.	4	$12\frac{1}{2}$ lbs.	5.10
B48	48 oz.	4	15 lbs.	5.35
20th Century —	Ground black finish he	ad with good grad	e clear lacquered handle.	
TCB32	32 oz.	4	10 lbs.	\$3.70
TCB40	40 oz.	4	$12\frac{1}{2}$ lbs.	3.80
TCB48	48 oz.	4	15 lbs.	4.10
	E ENGINEERS l polished head. Best	grade two-tone hich	kory handle.	
DF40	40 oz.	4	$12\frac{1}{2}$ lbs.	\$5.10



### VAUGHAN MECHANICS' HAMMERS



#### LINEMAN'S (or FARRIERS TURNING)

Supersteel—Full polished faces and heads. Smooth black body. Best grade two-tone hickory handle.

L36

36 oz.

11 lbs.

\$4.80

#### **BRICKLAYERS**

Supersteel—Best grade two-tone machine gauged hickory handle compression fitted into eye of head to reduce possibility of head loosening or handle breaking. Striking head, sides and top of blade fully polished. Newly designed by Vaughan to Bricklayers' requirements.

BL16

16 oz.

 $5\frac{1}{2}$  lbs.

3.85

BL24

24 oz.

71/3 lbs.

\$4.25

#### PROSPECTING PICK

Supersteel - Full polished head. Best grade two-tone hickory handle.

P16

16 oz.

 $6\frac{1}{2}$  lbs.

\$4.50

## VAUGHAN MAGNETIC HAMMERS



Weight PACKING Price
Number of Head Boxed Wgt. per Box Each

#### MAGNETIC BILL POSTERS

Supersteel — Full polished head with one end a driving face and the other end a magnetic face.

Best grade two-tone hickory handle.

BP5 5 oz. 6 3 lbs. **\$3.10** BP8 8 oz. 6 5 lbs. **3.20** 

#### MAGNETIC TACK HAMMER

Supersteel — Full polished head and claw with magnetic driving face and best grade two-tone hickory handle.

T5 5 oz. 6 3½ lbs. \$3.25

#### MAGNETIC UPHOLSTERERS


Supersteel — Full polished head with one end a driving face and the other end a magnetic face.

Best grade two-tone hickory handle.

U7 7 oz. 6 4½ lbs. \$3.80



### VAUGHAN HATCHETS



Number

Weight of Head

Cut

Boxed

PACKING Wgt. per Box Retail Price Each

#### UNDERHILL PATTERN LATHING

Supersteel-12 row milled oval face and extra thin blade. Head fully polished. Best grade two-tone hickory handle.

UL

14 oz.

21/8"

91/3 lbs.

\$6.75

#### PROFESSIONAL SHINGLING with GAUGE

Supersteel-Smooth black finish with polished bevels on cutting edge and also on underside. Positive gauge for measuring. 12 row milled oval face. Best grade two-tone hickory handle.

SH

14 oz.

21/8"

91/3 lbs.

\$6.85

#### FRUIT BOX

Supersteel—Polished finish, 12 row milled oval face, long thin blade. Recognized Coast pattern. Perfect balance with full sized handle grip to equalize weight. Best grade two-tone hickory handle.


	_				
BX1	12 oz.	21/8"	6	81/4 lbs.	\$6.75
BX2	16 oz.	21/4"	6	10 lbs.	6.75
BX3*	16 oz.	21/4"	6	11 lbs.	6.75

\*Has long 15" handle.

# VAUGHAN fine Tools



### VAUGHAN HATCHETS



CARPENTERS HALF (CARBUILDERS)

Supersteel—A medium weight hatchet designed for fairly heavy work—used for both cutting and driving. Head, face and bevel highly polished, sides and octagon neck smooth black finish. Best grade two-tone hickory handle.

22 oz. CB \$5.25 CBM\* 13 lbs. 6.25

\*Has flat milled face.

RIG BUILDERS

Supersteel—Head is identical to Carpenters Half except has flat milled face. Special pattern best grade two-tone 17" hickory handle.

RB31/2" 133/4 lbs. \$6.50

STANDARD PATTERN HALF HATCHET

Supersteel—A medium weight hatchet for general use. The octagon face is in line with the top of the head for reaching close to corners. Smooth black finish. Best grade two-tone hickory handle.

H222 oz. 12 lbs. \$4.90

20th Century—Same as above except head has ground black finish. Good grade clear lacquered hickory handle. (Not illustrated.)

TCH2 22 oz. 31/2" 12 lbs. \$4.25

# VAUGHAN Jime Tools



### VAUGHAN HATCHETS



Number

Weight of Head

Cut

PACKING Boxed

Wgt. per Box

Retail Price Each

#### HAINES PATTERN HALF

Supersteel—A very light hatchet with thin blade and round head. Full polished. Best grade two-tone hickory handle.

HH

16 oz.

31/4"

6

91/3 lbs.

\$6.25

#### BROAD HATCHET

Supersteel—A heavy pattern hatchet with wide single bevel for the heaviest cutting work. Large flat head for driving spikes. Smooth flack finish. Best grade two-tone hickory handle.

**B2** 

28 oz.

41/2"

6

162/3 lbs.

\$5.50

#### BARREL-PRODUCE HATCHET

Supersteel—A light weight hatchet with square milled head. Nail slot in cutting edge and on side of blade. Smooth black finish. Best grade hickory handle.

BP

13 oz.

21/2"

6

8 lbs.

\$5.25

## VAUGHAN SUB-ZERO HOLLOW GROUND MEN'S AXES

Vaughan SUB-ZERO HOLLOW GROUND Axes are custom built for cold climates. The thinner, hollow ground blade penetrates deeper, releases easier and stays sharp longer. This is the axe with the distinctive blue finish and the silver stripes. (Reg. Trade Mark.)

#### "THERE ARE NO FINER AXES AT ANY PRICE"

	Weight	PA	CKING	Retail Price
Number	of Head	Boxed	Wgt. per Box	Each
Single Bit—	-Michigan Patteri	n Only		
ZSB3	3 lbs.	4	19 lbs.	\$7.35
ZSB3½	$3\frac{1}{2}$ lbs.	4	21 lbs.	7.35

Double Bit—One hollow ground blade for faster cutting and one regular blade for trimming, grubbing and other rough work.

#### Michigan Pattern

ZDB3	3 lbs.	4	10 11-	@7 OF
	0 1200	4	19 lbs.	<b>\$7.95</b>
$ZDB3\frac{1}{2}$	$3\frac{1}{2}$ lbs.	4	21 lbs.	7.95
Western Patt	ern (not illustra	ated)		
ZDBW3	3 lbs.	4	19 lbs.	\$7.95
		4		
$ZDBW3\frac{1}{2}$	$3\frac{1}{2}$ lbs.	4	21 lbs.	7.95

All Axes listed above are furnished with 36" regular pattern handles unless otherwise specified. Slim pattern handles and 30", 32" and 34" lengths furnished when requested.

CRUISER AXE—2½ lb. Double Bit Axe—a favorite with the professional cutters and sportsmen alike. 28" white hickory handle (not illustrated).

ZC2½ 2½ lbs. 4 15 lbs. \$7.95





#### VAUGHAN MEN'S AXES



Vaughan Men's Axes are made of high grade carbon tool steel. Recognized by wood choppers for their fast cutting, design and balance.

> **QUALITY** DESIGN **BALANCE**

Vaughan SUPERSTEEL axes are the super axes of the standard field. Deep penetration of heat-treatment of the thin blade makes for a stronger and faster cutting edge. Smooth Black finish with 1" polished bevel. Best grade two-tone hickory handle, securely fitted.

Number	Weight of Head	PACKING Boxed Wgt. per Box		Retail Price Each
Single Bit—I	Michigan Patter	n Only		
SB3	3 lbs.	4	19 lbs.	\$7.10
$SB3\frac{1}{2}$	$3\frac{1}{2}$ lbs.	4	21 lbs.	7.10
Double Bit—	-Michigan Patte	rn Only		-
DB3	3 lbs.	4	19 lbs.	\$7.70
$DB3\frac{1}{2}$	$3\frac{1}{2}$ lbs.	4	21 lbs.	7.70

20th CENTURY grade axes have forged finish head, ground blade, polished bevel. Furnished with good grade lacquered hickory handle. (not illustrated)

Single Bit—Michigan Pattern Only

TCSB3	3 lbs.	4	19 lbs.	\$5.85
$TCSB3\frac{1}{2}$	$3\frac{1}{2}$ lbs.	4	21 lbs.	5.85

All Axes listed above are furnished with 36" regular pattern handles unless otherwise specified. Slim pattern handles and 30", 32" and 34" lengths furnished when requested.

SUPERSTEEL CRUISER AXE—Michigan Pattern Only.

Double Bit. 28" select grade, two-tone hickory handle. (not illustrated)

15 lbs. \$7.70  $C2\frac{1}{2}$  $2\frac{1}{2}$  lbs.

### VAUGHAN ALL-STEEL CAMP AXE

VAUGHAN all-steel camp or scout axe has full polished head and handle with black natural rubber, shock absorbing grip, which feels like velvet yet won't slip in the hand. The all-steel construction eliminates loose handles.



Number	Weight of Head	Handle Length	Boxed PAG	CKING Wgt. per Box	Retail Price Each
A11/4	11/4 lbs.	13"	4	7½ lbs.	\$4.75
AS11/4	with sheath	13"	4	72/3 lbs.	5.25
S11/4	Sheath only				1.00

### VAUGHAN SUB-ZERO HOLLOW GROUND LIGHT AXES

VAUGHAN now offers a complete line of Sub-Zero Hollow Ground Light Axes. All of the fine features included in the Sub-Zero Hollow Ground Men's Axes are incorporated in this new line. This is the axe with the distinctive blue and silver stripes. (Reg. Trade Mark.)

	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAM				7
	Belt			Super Sportsma	n
	(not illustrated)			- 14000	Retail Price Each
ZB21/4	$2\frac{1}{4}$ lbs.	28"	4	$13\frac{1}{2}$ lbs.	\$6.05
HOUSE AX	(not illustrated)				
ZH21/4	$2\frac{1}{4}$ lbs.	19 <b>"</b>	6	19 lbs.	\$5.75
HUNTERS	AXE (not illustrated	1)			
Z13/4	$1\frac{3}{4}$ lbs.	17"	6	$12\frac{1}{2}$ lbs.	\$5.45
BELT AXE	—With Nail Slot				
$Z1\frac{1}{4}$	11/4 lbs.	14"	6	$11\frac{1}{3}$ lbs.	\$5.15
ZS11/4	with sheath	14"	6	$12\frac{1}{3}$ lbs.	5.65
L11/4	Sheath only				1.00
SUPER SP	ORTSMAN AXE-	Fits into tack Weighs only	le box or conve 10 ounces. Ger	eniently in outside pocke nuine leather sheath.	t of jacket.
ZS1/2	1/2 lb.	10"	6	43/4 lbs.	\$2.95
S1/2	Sheath only				.50



### VAUGHAN LIGHT AXES

VAUGHAN SUPERSTEEL grade has a smooth black finish, polished bevel and the best grade two-tone hickory handle.

VAUGHAN 20th CENTURY grade (not illustrated) has a forged finish head, ground blade, polished bevel and good grade lacquered hickory handle.

		Boys		Sports	nan
	Hunters		556	Belt	
Number	Weight of Head	Handle Length	PAC Boxed	CKING Wgt. per Box	Retail Price Each
BOYS AXE Supersteel B2½ 20th Century TCB2½	2½ lbs.	28" 28"	4. 4.	13½ lbs.	\$5.75 5.15
	(not illustrated)	20	4	1372 lbs.	3.13
H2 <sup>1</sup> / <sub>4</sub> <b>20th Century</b> TCH2 <sup>1</sup> / <sub>4</sub>	2½ lbs. 2½ lbs.	19" 19"	6	<ul><li>19 lbs.</li><li>19 lbs.</li></ul>	\$5.45 4.85
HUNTERS A	XE				
Supersteel H1 <sup>3</sup> / <sub>4</sub> <b>20th Century</b>	13/4 lbs.	17"	6	$12\frac{1}{2}$ lbs.	\$5.15
TCH13/4	13/4 lbs.	17"	6	$12\frac{1}{2}$ lbs.	4.55
BELT AXE— Supersteel—on					
B1 <sup>1</sup> / <sub>4</sub> BS1 <sup>1</sup> / <sub>4</sub> L1 <sup>1</sup> / <sub>4</sub>	1½ lbs. with sheath sheath only	14" 14"	6 6	11½ lbs. 12⅓ lbs.	\$4.85 5.35 1.00
	With genuine le				
SS <sup>1</sup> / <sub>2</sub> S <sup>1</sup> / <sub>2</sub>	$\frac{1}{2}$ lb. sheath only	10"	6	43/4 lbs.	\$2.45 .50

# VAUGHAN Jine Tools (B) Since 1869


### VAUGHAN CHISELS & PUNCHES

Vaughan Square Chisels and Punches are forged from high grade alloy steel, and are carefully tempered and tested. The beveled square steel keeps the tools from rolling and affords a more comfortable grip. Ideal for automotive use, as well as around the house and farm. Attractive Metallic Bronze Finished Body. Highly polished blades, tapers and striking heads.

				N = P1 (e).		
	Cut	Steel Size	Length Inch	PACK Boxed	ING Weight, Lbs.	Retail Price Each
COLD CHIS 914 938 912 958 934 978	FLS  1/4 3/8 1/2 5/8 3/4 7/8	1/4 3/8 3/8 1/2 5/8 3/4	5 5 6 6½ 7 7½	12 12 12 12 12 12 6	1 2 4 <sup>3</sup> / <sub>4</sub> 7 <sup>1</sup> / <sub>2</sub> 12 8 <sup>1</sup> / <sub>4</sub>	\$ .55 .60 .65 .75 .90 1.00
CENTER PU	JNCH	1/2	51/4	12	31/2	\$ .65
PRICK PUN 91 92	NCHES	3/8 1/2	5 6 7-32 VAL	12 12 12	2 4	\$ .60 .65
PIN PUNCE	IES					
93 94 95 96 97	ze of Point  3/3 2 1/8 5/3 2 3/1 6 7/3 2	1/4 1/4 3/8 3/8 3/8	4½ 5 5½ 5½ 5¾ 6	12 12 12 12 12 12	3/4 1 11/2 2 23/4	\$ .55 .55 .60 .60
LONG TAP: 903 904 905	ER PUNC	HES  3/8 3/8 3/8 3/8	9 9 9	12 12 12 12	3 31/4 31/2	\$ .65 .65 .65



### VAUGHAN TOOLS



		Retail
Length	PACKING	Price
Inch	Boxed Weight, lbs.	Each

BRICKLAYERS CHISEL-Drop forged from high grade steel. Has beveled square handle, polished striking head, and cutting edge which has double bevel.

$13\frac{1}{2}$	$3\frac{1}{2}$	71/2	6	$5\frac{1}{2}$	\$1.60
14	4.	71/2	6		1.70

BRICKLAYERS SET-Identical to Bricklayers Chisel except has single bevel.

Width

of Blade

Number

31/2	$3\frac{1}{2}$	$7\frac{1}{2}$	6	$5\frac{1}{2}$	\$1.60
4	4	$7\frac{1}{2}$	6	53/4	1.70

SHIP OR BLOCK SCRAPER—Used for heavy scraping such as ship decks or butcher's blocks. Triangular blade of extra warranted steel with polished bevels.

Malleable iron ferrule. Blade is held in place by heavy machine bolt screwed into top of ferrule. Stained hardwood handle.

8	5	$13\frac{1}{2}$	loose	$1\frac{1}{2}$ ea.	<b>\$2.40</b>
8B Blad	es only 5		12	$3\frac{1}{2}$	.80
8H Hand	dles only	$13\frac{1}{2}$	loose	11/4 ea.	1.60

HOG SCRAPERS—Edges ground, blade secured by bolt through handle. Natural finish handle. No. 6 designed for packing house use and No. 8 for farmers' use.

Number	Diam. of Blade—Inch	Length of Hdle.—Inch	Overall Length—Inch	PAC Boxed	CKING Weight, Lbs.	
6	$4\frac{1}{2}$	$5\frac{1}{2}$	$6\frac{1}{4}$	12	$6\frac{1}{4}$	\$ .80
8	4	$5\frac{1}{2}$	$6\frac{1}{2}$	12	51/2	.70

## INDEX

HAMMERS	HATCHETS
Page	Page
Ball Pein 7	Barrel-Produce 14
Bill Posters 11	Box 12
Blacksmiths 9	Broad 14
Bricklayers 10	Car Builders
Double Face Engineers 9	Carpenters Half
Engineers	Half, Standard Pattern 13
Farriers Turning 10	Half, Haines Pattern 14
Linemans 10	Lathing
Machinists Riveting 8	Rig Builders 13
Nail—	Shingling 12
All-Steel 4	
Double Duty 6	AXES
Double Octagon 2	All-Steel Camp 17
Octagon 2	Belt17, 18
Supersteel 5	Boys17, 18
Tubular Steel	Camp Axe
20th Century 6	Cruiser15, 16
Value Brand 5	Hollow Ground
Vanadium 2	House17, 18
Prospecting Pick 10	Hunters17, 18
Ripping—	Men's Chopping15, 16
999	Sportsman's 18
All-Steel 4	Sub-Zero15, 17
Double Duty 6	Super Sportsman's
Octagon 2	
Supersteel 5	TOOLS
Tubular Steel	Chisels, Bricklayers 20
20th Century 6	Chisels, Cold 19
Value Brand 5	Punches, Center 19
Vanadium 2	Punches, Long Taper 19
Tack 11	Punches, Pin 19
Tile Setters 8	Punches, Prick 19
Tinners Paneing 8	Scrapers, Hog
Tinners Riveting 8	Scrapers, Ship 20
Upholsterers 11	Sets, Bricklayers 20



# Vaughan & Bushnell Mfa. Co.

CHICAGO 3. ILLINOIS
TELEPHONE RANDOLPH 6.0502

Makers of Fine Tools Since 1869 September 23, 1957

HAMMERS-HATCHETS

TO GRAYBAR ELECTRIC COMPANY

#### Gentlemen:

We are enclosing herewith our illustrated Price List No. 67 dated September 23, 1957 with Distributors Discount Sheet applying thereto. This supersedes our Price List No. 66 of June 29, 1956.

The following is the revised price on the WMl3 Graybar Lineman's Hammer which you purchase from us.

Your No.	Our <u>Equivalent</u>	Description	Net Price Each
WM13	L36	Graybar Lineman's Hammer	\$2.40

The above price is F.O.B. our plant at Bushnell, Illinois.

These hammers are packed 4 in a box and if ordered in quantities involving a broken package, an extra charge of  $25\phi$  will be made. Also, on all shipments made direct to your customer a direct shipment charge of 10% will apply with a minimum charge of  $50\phi$ .

If you have any questions regarding the attached, please let us know.

Yours very truly,

yaughan & Bushnell Mfg. co.

Vice President

ECH:sp(Encl.)



#### DISCOUNTS AND TERMS

Applying to Price List No. 67 dated September 23, 1957

PRICES: This Price List cancels all previous quotations and is subject to change without notice. Orders accepted on basis of prices in effect on date of shipment.

FREIGHT TERMS: All Prices are F.O.B. BUSHNELL, ILLINOIS.

On shipments of 200 lbs. or more, freight will be allowed to destination based on the lowest prevailing rate in effect at time of shipment, excluding any local delivery charges.

- DIRECT SHIPMENTS: On all shipments direct to buyer's customer no freight will be allowed and an additional charge of 10% will be made—no charge less than 50 cents. Direct shipments to railroads, municipalities and state or federal agencies are not included in this category.
- PAYMENT TERMS: 30 days net. Invoices dated between the 1st and 15th of the month may be discounted at 2% on or before the 25th of the same month; invoices dated between the 16th and 31st of the month may be discounted at 2% on or before the 10th of the following month.
- SPECIAL PACKING: An extra charge of 25¢ will be made for each item ordered in less than standard factory pack.
- RETURNED GOODS: Goods may be returned to us, transportation charges prepaid, only upon authorization by us. When such permission is granted, goods are to be returned to our factory at BUSHNELL, ILLINOIS.
- REPLACEMENT: Any tool claimed to be defective must be returned to our factory at BUSH-NELL, ILLINOIS, transportation charges prepaid, for our examination. We will replace free of charge any first quality tool found by us to be defective in material or workmanship. No edge tool will be replaced that has been improperly reground.